


Ensemble Raccord Standard AQB + Joint Standard Vi



DN mm	Class	PFA bar
60	C40	22
80	C40	16
100	C40	16
125	C40	16
150	C40	16
200	C40	16
250	C40	16
300	C40	16
350	C30	16
400	C30	16
450	C30	13
500	C30	11
600	C30	10
700	C25	10

Coudes Standard

DN	Poids de l'ensemble	Référence
60	6.51 kg	NSA60CA00NN2-E06
60	6.81 kg	NSA60CB00NN2-E06
60	5.21 kg	NSA60CD00NN2-E06
60	5.41 kg	NSA60CE00NN2-E06

DN	Poids de l'ensemble	Référence
80	8.02 kg	NSA80CA00NN2-E06
80	7.42 kg	NSA80CB00NN2-E06
80	6.62 kg	NSA80CD00NN2-E06
80	6.92 kg	NSA80CE00NN2-E06
100	10.56 kg	NSB10CA00NN2-E06
100	9.46 kg	NSB10CB00NN2-E06
100	8.36 kg	NSB10CD00NN2-E06
100	8.46 kg	NSB10CE00NN2-E06
125	12.962 kg	NSB12CB00NN2-E06
125	10.562 kg	NSB12CD00NN2-E06
125	10.962 kg	NSB12CE00NN2-E06
150	18.982 kg	NSB15CA00NN2-E06
150	16.482 kg	NSB15CB00NN2-E06
150	13.082 kg	NSB15CD00NN2-E06
150	13.482 kg	NSB15CE00NN2-E06
200	30.43 kg	NSB20CA00NN2-E06
200	24.93 kg	NSB20CB00NN2-E06
200	20.23 kg	NSB20CD00NN2-E06
200	20.43 kg	NSB20CE00NN2-E06
250	51.306 kg	NSB25CA00NN2-E06
250	42.206 kg	NSB25CB00NN2-E06
250	33.906 kg	NSB25CD00NN2-E06
250	32.206 kg	NSB25CE00NN2-E06
300	75.316 kg	NSB30CA00NN2-E06
300	61.616 kg	NSB30CB00NN2-E06
300	44.816 kg	NSB30CD00NN2-E06
300	42.316 kg	NSB30CE00NN2-E06

Cônes Standard

DN	Ø dn	Poids de l'ensemble	Référence
80	60	6.465 kg	NSA80VE0CNN2-E06
100	60	7.235 kg	NSB10VE0CNN2-E06
100	80	7.99 kg	NSB10VE0ENN2-E06
125	80	9.441 kg	NSB12VE0ENN2-E06
150	100	11.821 kg	NSB15VE0FNN2-E06

DN	Ø dn	Poids de l'ensemble	Référence
150	125	12.472 kg	NSB15VE0GNN2-E06
200	100	18.195 kg	NSB20VE0FNN2-E06
200	125	17.746 kg	NSB20VE0GNN2-E06
200	150	17.756 kg	NSB20VE0JNN2-E06
250	125	24.584 kg	NSB25VE0GNN2-E06
250	200	23.668 kg	NSB25VE0KNN2-E06
300	200	33.923 kg	NSB30VE0KNN2-E06
300	250	32.661 kg	NSB30VE0LNN2-E06

Tés 3E Standard

DN	Ø dn	Poids de l'ensemble	Référence
60	60	9.165 kg	NSA60TE0CNN2-E06
80	80	10.575 kg	NSA80TE0CNN2-E06
80	80	11.83 kg	NSA80TE0ENN2-E06
100	100	12.615 kg	NSB10TE0CNN2-E06
100	100	15.74 kg	NSB10TE0FNN2-E06
125	125	15.017 kg	NSB12TE0CNN2-E06
125	125	16.372 kg	NSB12TE0ENN2-E06
125	125	17.842 kg	NSB12TE0FNN2-E06
125	125	21.993 kg	NSB12TE0GNN2-E06
150	150	17.937 kg	NSB15TE0CNN2-E06
150	150	19.292 kg	NSB15TE0ENN2-E06
150	150	20.962 kg	NSB15TE0FNN2-E06
150	150	28.323 kg	NSB15TE0JNN2-E06
200	200	26.285 kg	NSB20TE0CNN2-E06
200	200	27.14 kg	NSB20TE0ENN2-E06
200	200	29.01 kg	NSB20TE0FNN2-E06
200	200	31.261 kg	NSB20TE0GNN2-E06
200	200	33.971 kg	NSB20TE0JNN2-E06
200	200	42.545 kg	NSB20TE0KNN2-E06
250	250	32.516 kg	NSB25TE0ENN2-E06
250	250	34.286 kg	NSB25TE0FNN2-E06
250	250	39.047 kg	NSB25TE0JNN2-E06
250	250	44.321 kg	NSB25TE0KNN2-E06
250	250	52.259 kg	NSB25TE0LNN2-E06

DN	Ø dn	Poids de l'ensemble	Référence
300	300	43.896 kg	NSB30TE0FNN2-E06
300	300	49.057 kg	NSB30TE0JNN2-E06
300	300	55.331 kg	NSB30TE0KNN2-E06
300	300	63.869 kg	NSB30TE0LNN2-E06
300	300	72.924 kg	NSB30TE0MNN2-E06

Tés 2E B Standard

DN	Ø dn	Poids de l'ensemble	Référence
60	60	9.11 kg	NSA60UD1ANN2-E06
60	60	9.584 kg	NSA60UD1CNN2-E06
60	60	9.61 kg	NSA60UD3CNN2-E06
80	80	11.094 kg	NSA80UD1CNN2-E06
80	80	11.12 kg	NSA80UD3CNN2-E06
80	80	11.68 kg	NSA80UD1DNN2-E06
80	80	12.394 kg	NSA80UD1ENN2-E06
100	100	12.56 kg	NSB10UD1ANN2-E06
100	100	13.034 kg	NSB10UD1CNN2-E06
100	100	13.06 kg	NSB10UD3CNN2-E06
100	100	13.62 kg	NSB10UD1DNN2-E06
100	100	14.634 kg	NSB10UD1ENN2-E06
100	100	16.26 kg	NSB10UD1FNN2-E06
100	100	17.46 kg	NSB10UD3FNN2-E06
125	125	14.962 kg	NSB12UD1ANN2-E06
125	125	15.436 kg	NSB12UD1CNN2-E06
125	125	15.462 kg	NSB12UD3CNN2-E06
125	125	16.022 kg	NSB12UD1DNN2-E06
125	125	16.462 kg	NSB12UD3DNN2-E06
125	125	16.936 kg	NSB12UD1ENN2-E06
125	125	18.462 kg	NSB12UD1FNN2-E06
125	125	19.662 kg	NSB12UD3FNN2-E06
125	125	22.896 kg	NSB12UD1GNN2-E06
125	125	24.562 kg	NSB12UD3GNN2-E06
150	150	17.982 kg	NSB15UD1ANN2-E06
150	150	18.456 kg	NSB15UD1CNN2-E06
150	150	18.482 kg	NSB15UD3CNN2-E06

DN	Ø dn	Poids de l'ensemble	Référence
150	150	19.042 kg	NSB15UD1DNN2-E06
150	150	19.482 kg	NSB15UD3DNN2-E06
150	150	19.956 kg	NSB15UD1ENN2-E06
150	150	21.582 kg	NSB15UD1FNN2-E06
150	150	22.782 kg	NSB15UD3FNN2-E06
150	150	29.34 kg	NSB15UD1JNN2-E06
150	150	31.382 kg	NSB15UD3JNN2-E06
200	200	26.33 kg	NSB20UD1ANN2-E06
200	200	26.804 kg	NSB20UD1CNN2-E06
200	200	26.83 kg	NSB20UD3CNN2-E06
200	200	27.39 kg	NSB20UD1DNN2-E06
200	200	27.83 kg	NSB20UD3DNN2-E06
200	200	27.704 kg	NSB20UD1ENN2-E06
200	200	29.63 kg	NSB20UD1FNN2-E06
200	200	30.83 kg	NSB20UD3FNN2-E06
200	200	32.064 kg	NSB20UD1GNN2-E06
200	200	33.73 kg	NSB20UD3GNN2-E06
200	200	35.088 kg	NSB20UD1JNN2-E06
200	200	37.13 kg	NSB20UD3JNN2-E06
200	200	45.93 kg	NSB20UD1KNN2-E06
200	200	45.83 kg	NSB20UD2KNN2-E06
200	200	47.33 kg	NSB20UD3KNN2-E06
250	250	33.106 kg	NSB25UD1CNN2-E06
250	250	32.706 kg	NSB25UD3CNN2-E06
250	250	33.266 kg	NSB25UD1DNN2-E06
250	250	41.206 kg	NSB25UD3DNN2-E06
250	250	33.006 kg	NSB25UD1ENN2-E06
250	250	34.506 kg	NSB25UV1FNN2-E06
250	250	35.706 kg	NSB25UV3FNN2-E06
250	250	40.706 kg	NSB25UD1JNN2-E06
250	250	42.706 kg	NSB25UD3JNN2-E06
250	250	48.706 kg	NSB25UD1KNN2-E06
250	250	48.906 kg	NSB25UD2KNN2-E06
250	250	50.206 kg	NSB25UD3KNN2-E06
250	250	57.506 kg	NSB25UD1LNN2-E06


DN	Ø dn	Poids de l'ensemble	Référence
250	250	57.506 kg	NSB25UD2LNN2-E06
250	250	60.206 kg	NSB25UD3LNN2-E06
300	300	44.316 kg	NSB30UD1CNN2-E06
300	300	43.916 kg	NSB30UD3CNN2-E06
300	300	59.076 kg	NSB30UD1DNN2-E06
300	300	44.116 kg	NSB30UD1ENN2-E06
300	300	44.416 kg	NSB30UV1FNN2-E06
300	300	45.616 kg	NSB30UV3FNN2-E06
300	300	51.416 kg	NSB30UD1JNN2-E06
300	300	53.416 kg	NSB30UD3JNN2-E06
300	300	60.916 kg	NSB30UD1KNN2-E06
300	300	61.116 kg	NSB30UD2KNN2-E06
300	300	62.416 kg	NSB30UD3KNN2-E06
300	300	70.516 kg	NSB30UD1LNN2-E06
300	300	70.516 kg	NSB30UD2LNN2-E06
300	300	73.216 kg	NSB30UD3LNN2-E06
300	300	81.716 kg	NSB30UD1MNN2-E06
300	300	81.216 kg	NSB30UD2MNN2-E06
300	300	84.816 kg	NSB30UD3MNN2-E06

Bride Emboîtement Standard

DN	Poids de l'ensemble	Référence
60	5.629 kg	NSA60BE10NN2-E06
60	5.655 kg	NSA60BE30NN2-E06
80	6.884 kg	NSA80BE10NN2-E06
100	8.28 kg	NSB10BE10NN2-E06
100	9.48 kg	NSB10BE30NN2-E06
125	10.565 kg	NSB12BE10NN2-E06
125	12.231 kg	NSB12BE30NN2-E06
150	15.781 kg	NSB15BE30NN2-E06
200	21.015 kg	NSB20BE10NN2-E06
200	20.915 kg	NSB20BE20NN2-E06
200	22.415 kg	NSB20BE30NN2-E06
250	32.153 kg	NSB25BE10NN2-E06
250	31.753 kg	NSB25BE20NN2-E06

DN	Poids de l'ensemble	Référence
250	34.653 kg	NSB25BE30NN2-E06
300	43.608 kg	NSB30BE10NN2-E06
300	42.908 kg	NSB30BE20NN2-E06
300	46.508 kg	NSB30BE30NN2-E06

Produits associés



Bague de joint STD Vi pour
Tuyaux et Raccords
DN60-700